

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	993	713/201.ccls. and @ad<"20000331" and @ad>"19970331"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 10:34
L2	8	L1 and (domain with validat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 10:38
L3	291	L1 and domain and (key\$6 or ID or identif\$4 or ident\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 10:39
L4	83	L1 and domain and (key\$6 or ID or identif\$4 or ident\$5) and byte	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 10:40
L5	3	L1 and domain and (key\$6 or ID or identif\$4 or ident\$5) and byte and collision	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 10:41
L6	9	L1 and (ID or identif\$4 or ident\$5) and byte and collision	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 10:42
L7	5	L1 and (ID or identif\$4 or ident\$5) and byte and collision and bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 10:47

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	52915	bus with perform\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 10:51
L2	60585	data with transfer\$5 with (rate or speed)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 10:52
L3	1597	L1 and L2 and SCSI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 10:53
L4	1064	L3 and @ad<"20000331"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 11:23
L5	48670	(read\$4 with buffer\$4) and (writ\$4 with buffer\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 10:56
L6	510	L4 and L5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 10:56
L7	48	L6 and collision and byte	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 11:19
L8	32	("6065037").URPN.	USPAT	OR	ON	2005/09/07 11:05
L9	10	("5963745").URPN.	USPAT	OR	ON	2005/09/07 11:13
L10	7	writ\$4 near2 echo near2 buffer\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 11:20
L11	9925	SCSI with control\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 11:21

L13	885	L1 and L2 and L11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 11:22
L14	669617	(multipl\$4 or many or numerous or several) with (initiat\$4 or devic\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 11:22
L15	546	L13 and L14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 11:23
L16	358	L15 and @ad<"20000331"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 11:23
L17	42	L16 and SCSI.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 11:24
L18	0	("6496277").URPN.	USPAT	OR	ON	2005/09/07 11:31
L19	32	L17 and initiat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 11:32
L20	399	(SCSI with (initiat\$4 or control\$4 or monitor\$4) with (collision or conflict\$4 or error))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 11:33
L21	260	L20 and @ad<"20000331"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 11:33
L22	159	L21 and byte	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 11:33

L23	107	L22 and ((ID or identif\$4 or identi\$4 or key\$4) and (negat\$4 or block\$4 or invers\$4) and (buffer\$4 or sav\$4 or REB or WEB) and (pattern or format or header))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 11:35
L24	50	L23 and (data with (transfer\$4 or provid\$5 or distribut\$5 or send\$5) with (rat\$4 or frequenc\$4 or clock\$4 or speed\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 11:37